



Temperature Log

The dry goods storage area must be under 80F

The special dry goods area must be between 50F and 70F.

The refrigerator must be kept between 35F and 41F

The freezer must be kept at 0F or below

MONTH: _____

YEAR: _____

Check the temperature of your refrigerator, freezer and dry storage regularly!

| Day | Time | Temperature | | | Staff Initials |
|-----|------|-------------|--------|--------|----------------|
| | | Unit 1 | Unit 2 | Unit 3 | |
| 1 | | | | | |
| 2 | | | | | |
| 3 | | | | | |
| 4 | | | | | |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |

| | | | | | |
|----|--|--|--|--|--|
| 30 | | | | | |
| 31 | | | | | |